ELSEVIER

Hearing Research 95 (1996) 172

HEARING RESEARCH

Author Index

Clark, G.M., see Seldon, H.L. (95) 108

Dallos, P., see Sziklai, I. (95) 87
De Snoo, S.L., see Frijns, J.H.M. (95) 33

Eggermont, J.J., see Ochi, K. (95) 63

Frijns, J.H.M., De Snoo, S.L. and Ten Kate, J.H.
Spatial selectivity in a rotationally symmetric model of the electrically stimulated cochlea (95) 33
Fukazawa, T. and Tanaka, Y.
Spontaneous otoacoustic emissions in an active feed-forward model of the cochlea (95) 135
Fuzessery, Z.M.
Monaural and binaural spectral cues created by the external ears of the pallid bat (95) 1

He, D.Z.Z., see Sziklai, I. (95) 87
Henderson, D., see Zheng, X.-Y. (95) 161
Hoidis, S., see Richter, C.-P. (95) 77

Irimajiri, A., see Takeuchi, S. (95) 18

Kawano, A., see Seldon, H.L. (95) 108
Kempton, J.B., see Trune, D.R. (95) 57
Kitamura, Y., see Takemura, T. (95) 26
Klinke, R., see Richter, C.-P. (95) 77
Kubo, T., see Takemura, T. (95) 26

Liang, Z.-A., see Zhao, H.-B. (95) 120
Liu, J., see Wangemann, P. (95) 49

Melcher, J.R.
Cellular generators of the binaural difference potential in cat (95) 144
Mitchell, C., see Trune, D.R. (95) 57

Nakase, T., see Takemura, T. (95) 26
Nomura, S., see Takemura, T. (95) 26

Ochi, K. and Eggermont, J.J.
Effects of salicylate on neural activity in cat primary auditory cortex (95) 63

Richter, C.-P., Sauer, G., Hoidis, S. and Klinke, R.
Development of activity patterns in auditory nerve fibres of pigeons (95) 77

Sakagami, M., see Takemura, T. (95) 26
Salvi, R.J., see Zheng, X.-Y. (95) 161
Sauer, G., see Richter, C.-P. (95) 77
Seldon, H.L., Kawano, A. and Clark, G.M.
Does age at cochlear implantation affect the distribution of 2-deoxyglucose label in cat inferior colliculus? (95) 108
Sziklai, I., He, D.Z.Z. and Dallos, P.
Effect of acetylcholine and GABA on the transfer function of electromotility in isolated outer hair cells (95) 87
Sziklai, I.
Human otosclerotic bone-derived peptide decreases the gain of the electromotility in isolated outer hair cells (95) 100

Takaoka, K., see Takemura, T. (95) 26
Takebayashi, K., see Takemura, T. (95) 26
Takemura, T., Sakagami, M., Takebayashi, K., Umemoto, M., Nakase, T., Takaoka, K., Kubo, T., Kitamura, Y. and Nomura, S.
Localization of bone morphogenetic protein-4 messenger RNA in developing mouse cochlea (95) 26
Takeuchi, S. and Irimajiri, A.
Maxi-K^+ channel in plasma membrane of basal cells dissociated from the stria vascularis of gerbils (95) 18
Tanaka, Y., see Fukazawa, T. (95) 135
Ten Kate, J.H., see Frijns, J.H.M. (95) 33
Trune, D.R., Kempton, J.B. and Mitchell, C.
Decreased auditory function in the C3H/*lpr* autoimmune disease mouse (95) 57

Umemoto, M., see Takemura, T. (95) 26

Wang, J., see Zheng, X.-Y. (95) 161
Wangemann, P. and Liu, J.
Osmotic water permeability of capillaries from the isolated spiral ligament: new in-vitro techniques for the study of vascular permeability and diameter (95) 49

Zhao, H.-B. and Liang, Z.-A.
Processing of modulation frequency in the dorsal cochlear nucleus of the guinea pig: sinusoidal frequency-modulated tones (95) 120
Zheng, X.-Y., Wang, J., Salvi, R.J. and Henderson, D.
Effects of kainic acid on the cochlear potentials and distortion product otoacoustic emissions in chinchilla (95) 161

ELSEVIER

Hearing Research 95 (1996) 172

HEARING RESEARCH

Author Index

Clark, G.M., see Seldon, H.L. (95) 108

Dallos, P., see Sziklai, I. (95) 87
De Snoo, S.L., see Frijns, J.H.M. (95) 33

Eggermont, J.J., see Ochi, K. (95) 63

Frijns, J.H.M., De Snoo, S.L. and Ten Kate, J.H.
Spatial selectivity in a rotationally symmetric model of the electrically stimulated cochlea (95) 33
Fukazawa, T. and Tanaka, Y.
Spontaneous otoacoustic emissions in an active feed-forward model of the cochlea (95) 135
Fuzessery, Z.M.
Monaural and binaural spectral cues created by the external ears of the pallid bat (95) 1

He, D.Z.Z., see Sziklai, I. (95) 87
Henderson, D., see Zheng, X.-Y. (95) 161
Hoidis, S., see Richter, C.-P. (95) 77

Irimajiri, A., see Takeuchi, S. (95) 18

Kawano, A., see Seldon, H.L. (95) 108
Kempton, J.B., see Trune, D.R. (95) 57
Kitamura, Y., see Takemura, T. (95) 26
Klinke, R., see Richter, C.-P. (95) 77
Kubo, T., see Takemura, T. (95) 26

Liang, Z.-A., see Zhao, H.-B. (95) 120
Liu, J., see Wangemann, P. (95) 49

Melcher, J.R.
Cellular generators of the binaural difference potential in cat (95) 144
Mitchell, C., see Trune, D.R. (95) 57

Nakase, T., see Takemura, T. (95) 26
Nomura, S., see Takemura, T. (95) 26

Ochi, K. and Eggermont, J.J.
Effects of salicylate on neural activity in cat primary auditory cortex (95) 63

Richter, C.-P., Sauer, G., Hoidis, S. and Klinke, R.
Development of activity patterns in auditory nerve fibres of pigeons (95) 77

Sakagami, M., see Takemura, T. (95) 26
Salvi, R.J., see Zheng, X.-Y. (95) 161
Sauer, G., see Richter, C.-P. (95) 77
Seldon, H.L., Kawano, A. and Clark, G.M.
Does age at cochlear implantation affect the distribution of 2-deoxyglucose label in cat inferior colliculus? (95) 108
Sziklai, I., He, D.Z.Z. and Dallos, P.
Effect of acetylcholine and GABA on the transfer function of electromotility in isolated outer hair cells (95) 87
Sziklai, I.
Human otosclerotic bone-derived peptide decreases the gain of the electromotility in isolated outer hair cells (95) 100

Takaoka, K., see Takemura, T. (95) 26
Takebayashi, K., see Takemura, T. (95) 26
Takemura, T., Sakagami, M., Takebayashi, K., Umemoto, M., Nakase, T., Takaoka, K., Kubo, T., Kitamura, Y. and Nomura, S.
Localization of bone morphogenetic protein-4 messenger RNA in developing mouse cochlea (95) 26
Takeuchi, S. and Irimajiri, A.
Maxi-K^+ channel in plasma membrane of basal cells dissociated from the stria vascularis of gerbils (95) 18
Tanaka, Y., see Fukazawa, T. (95) 135
Ten Kate, J.H., see Frijns, J.H.M. (95) 33
Trune, D.R., Kempton, J.B. and Mitchell, C.
Decreased auditory function in the C3H/*lpr* autoimmune disease mouse (95) 57

Umemoto, M., see Takemura, T. (95) 26

Wang, J., see Zheng, X.-Y. (95) 161
Wangemann, P. and Liu, J.
Osmotic water permeability of capillaries from the isolated spiral ligament: new in-vitro techniques for the study of vascular permeability and diameter (95) 49

Zhao, H.-B. and Liang, Z.-A.
Processing of modulation frequency in the dorsal cochlear nucleus of the guinea pig: sinusoidal frequency-modulated tones (95) 120
Zheng, X.-Y., Wang, J., Salvi, R.J. and Henderson, D.
Effects of kainic acid on the cochlear potentials and distortion product otoacoustic emissions in chinchilla (95) 161

ELSEVIER

Hearing Research 95 (1996) 173–175

HEARING RESEARCH

Subject Index

Acetylcholine
Otosclerosis; Outer hair cell; Electromotility; Caffeine; Sensorineural hearing loss (Sziklai, I. (95) 100)

Acetylcholine, efferent influence
Outer hair cell; Electromotility; GABA; Model of electromotility (Sziklai, I. (95) 87)

Activity pattern
Pigeon; Auditory; Single fiber; Development (Richter, C.-P. (95) 77)

Auditory
Pigeon; Single fiber; Activity pattern; Development (Richter, C.-P. (95) 77)

Auditory brainstem response
Autoimmune disease; Cochlea; C3H/*lpr* mouse; Stria vascularis (Trune, D.R. (95) 57)

Auditory cortex
Salicylate; Single-unit, cross-correlation; Spontaneous activity, bursting; Tinnitus; Cat (Ochi, K. (95) 63)

Auditory nerve
Chinchilla; Neural noise; Otoacoustic emission; Kainic acid; Electrical noise (Zheng, X.-Y. (95) 161)

Auditory nerve fibre
Auditory prosthesis; Electrical stimulation; Spatial selectivity; Electrical volume conduction; Computational modelling (Frijns, J.H.M. (95) 33)

Auditory prosthesis
Electrical stimulation; Spatial selectivity; Electrical volume conduction; Auditory nerve fibre; Computational modelling (Frijns, J.H.M. (95) 33)

Auditory system
Cochlear nucleus; Spherical cell; Superior olivary complex; Kainic acid; Lesion (Melcher, J.R. (95) 144)

Autoimmune disease
Cochlea; C3H/*lpr* mouse; Stria vascularis; Auditory brainstem response (Trune, D.R. (95) 57)

Basal cell
Stria vascularis; Ion transport; Maxi-K^+ channel (Takeuchi, S. (95) 18)

Basilar membrane
Bone morphogenetic protein-4; Claudius; Cell; In situ hybridization (Takemura, T. (95) 26)

Bat
Sound localization; Spectral cue; Pinna; External ear; Spectral notche (Fuzessery, Z.M. (95) 1)

Blood vessel
Cochlea; Labyrinth; Water permeability; Capillary (Wangemann, P. (95) 49)

Bone morphogenetic protein-4
Claudius; Cell; Basilar membrane; In situ hybridization (Takemura, T. (95) 26)

Caffeine
Otosclerosis; Outer hair cell; Electromotility; Acetylcholine; Sensorineural hearing loss (Sziklai, I. (95) 100)

Capillary
Cochlea; Labyrinth; Water permeability; Blood vessel (Wangemann, P. (95) 49)

Cat
Salicylate; Auditory cortex; Single-unit, cross-correlation; Spontaneous activity, bursting; Tinnitus (Ochi, K. (95) 63)

Plasticity; Inferior colliculus; Cochlear implant; 2-Deoxyglucose (Seldon, H.L. (95) 108)

Cell
Bone morphogenetic protein-4; Claudius; Basilar membrane; In situ hybridization (Takemura, T. (95) 26)

Chinchilla
Neural noise; Auditory nerve; Otoacoustic emission; Kainic acid; Electrical noise (Zheng, X.-Y. (95) 161)

C3H/*lpr* mouse
Autoimmune disease; Cochlea; Stria vascularis; Auditory brainstem response (Trune, D.R. (95) 57)

Claudius
Bone morphogenetic protein-4; Cell; Basilar membrane; In situ hybridization (Takemura, T. (95) 26)

Cochlea
Labyrinth; Water permeability; Blood vessel; Capillary (Wangemann, P. (95) 49)

Autoimmune disease; C3H/*lpr* mouse; Stria vascularis; Auditory brainstem response (Trune, D.R. (95) 57)

Cochlear implant
Plasticity; Inferior colliculus; 2-Deoxyglucose; Cat (Seldon, H.L. (95) 108)

Cochlear model
Otoacoustic emission; Computer simulation (Fukazawa, T. (95) 135)

Cochlear nucleus
Auditory system; Spherical cell; Superior olivary complex; Kainic acid; Lesion (Melcher, J.R. (95) 144)

Computational modelling
Auditory prosthesis; Electrical stimulation; Spatial selectivity; Electrical volume conduction; Auditory nerve fibre (Frijns, J.H.M. (95) 33)

Computer simulation
Otoacoustic emission; Cochlear model (Fukazawa, T. (95) 135)

2-Deoxyglucose
Plasticity; Inferior colliculus; Cochlear implant; Cat (Seldon, H.L. (95) 108)

Development
Pigeon; Auditory; Single fiber; Activity pattern (Richter, C.-P. (95) 77)

Dorsal cochlear nucleus
Frequency modulation; Phase-locking; Spontaneous rate; Sound localization (Zhao, H.-B. (95) 120)

Electrical noise
Chinchilla; Neural noise; Auditory nerve; Otoacoustic emission; Kainic acid (Zheng, X.-Y. (95) 161)

Electrical stimulation
Auditory prosthesis; Spatial selectivity; Electrical volume conduction; Auditory nerve fibre; Computational modelling (Frijns, J.H.M. (95) 33)

Electrical volume conduction
Auditory prosthesis; Electrical stimulation; Spatial selectivity; Auditory nerve fibre; Computational modelling (Frijns, J.H.M. (95) 33)

Electromotility
Outer hair cell; GABA; Acetylcholine, efferent influence; Model of electromotility (Sziklai, I. (95) 87)

Otosclerosis; Outer hair cell; Acetylcholine; Caffeine; Sensorineural hearing loss (Sziklai, I. (95) 100)

External ear
Sound localization; Spectral cue; Bat; Pinna; Spectral notche (Fuzessery, Z.M. (95) 1)

Frequency modulation
Phase-locking; Dorsal cochlear nucleus; Spontaneous rate; Sound localization (Zhao, H.-B. (95) 120)

GABA
Outer hair cell; Electromotility; Acetylcholine, efferent influence; Model of electromotility (Sziklai, I. (95) 87)

Inferior colliculus
Plasticity; Cochlear implant; 2-Deoxyglucose; Cat (Seldon, H.L. (95) 108)

In situ hybridization
Bone morphogenetic protein-4; Claudius; Cell; Basilar membrane (Takemura, T. (95) 26)

Ion transport
Stria vascularis; Basal cell; Maxi-K^+ channel (Takeuchi, S. (95) 18)

Kainic acid
Auditory system; Cochlear nucleus; Spherical cell; Superior olivary complex; Lesion (Melcher, J.R. (95) 144)

Chinchilla; Neural noise; Auditory nerve; Otoacoustic emission; Electrical noise (Zheng, X.-Y. (95) 161)

Labyrinth
Cochlea; Water permeability; Blood vessel; Capillary (Wangemann, P. (95) 49)

Lesion
Auditory system; Cochlear nucleus; Spherical cell; Superior olivary complex; Kainic acid (Melcher, J.R. (95) 144)

Maxi-K^+ channel
Stria vascularis; Basal cell; Ion transport (Takeuchi, S. (95) 18)

Model of electromotility
Outer hair cell; Electromotility; GABA; Acetylcholine, efferent influence (Sziklai, I. (95) 87)

Neural noise
Chinchilla; Auditory nerve; Otoacoustic emission; Kainic acid; Electrical noise (Zheng, X.-Y. (95) 161)

Otoacoustic emission
Cochlear model; Computer simulation (Fukazawa, T. (95) 135)

Chinchilla; Neural noise; Auditory nerve; Kainic acid; Electrical noise (Zheng, X.-Y. (95) 161)

Otosclerosis
Outer hair cell; Electromotility; Acetylcholine; Caffeine; Sensorineural hearing loss (Sziklai, I. (95) 100)

Outer hair cell
Electromotility; GABA; Acetylcholine, efferent influence; Model of electromotility (Sziklai, I. (95) 87)

Otosclerosis; Electromotility; Acetylcholine; Caffeine; Sensorineural hearing loss (Sziklai, I. (95) 100)

Phase-locking
Frequency modulation; Dorsal cochlear nucleus; Spontaneous rate; Sound localization (Zhao, H.-B. (95) 120)

Pigeon
Auditory; Single fiber; Activity pattern; Development (Richter, C.-P. (95) 77)

Pinna
Sound localization; Spectral cue; Bat; External ear; Spectral notche (Fuzessery, Z.M. (95) 1)

Plasticity
Inferior colliculus; Cochlear implant; 2-Deoxyglucose; Cat (Seldon, H.L. (95) 108)

Salicylate
Auditory cortex; Single-unit, cross-correlation; Spontaneous activity, bursting; Tinnitus; Cat (Ochi, K. (95) 63)

Sensorineural hearing loss
Otosclerosis; Outer hair cell; Electromotility; Acetylcholine; Caffeine (Sziklai, I. (95) 100)

Single fiber
Pigeon; Auditory; Activity pattern; Development (Richter, C.-P. (95) 77)

Single-unit, cross-correlation
Salicylate; Auditory cortex; Spontaneous activity, bursting; Tinnitus; Cat (Ochi, K. (95) 63)

Sound localization
Spectral cue; Bat; Pinna; External ear; Spectral notche (Fuzessery, Z.M. (95) 1)

Frequency modulation; Phase-locking; Dorsal cochlear nucleus; Spontaneous rate (Zhao, H.-B. (95) 120)

Spatial selectivity
Auditory prosthesis; Electrical stimulation; Electrical volume conduction; Auditory nerve fibre; Computational modelling (Frijns, J.H.M. (95) 33)

Spectral cue
Sound localization; Bat; Pinna; External ear; Spectral notche (Fuzessery, Z.M. (95) 1)

Spectral notche
Sound localization; Spectral cue; Bat; Pinna; External ear (Fuzessery, Z.M. (95) 1)

Spherical cell
Auditory system; Cochlear nucleus; Superior olivary complex; Kainic acid; Lesion (Melcher, J.R. (95) 144)

Spontaneous activity, bursting
Salicylate; Auditory cortex; Single-unit, cross-correlation; Tinnitus; Cat (Ochi, K. (95) 63)

Spontaneous rate
Frequency modulation; Phase-locking; Dorsal cochlear nucleus; Sound localization (Zhao, H.-B. (95) 120)

Stria vascularis
Basal cell; Ion transport; Maxi-K^+ channel (Takeuchi, S. (95) 18)

Autoimmune disease; Cochlea; C3H/*lpr* mouse; Auditory brainstem response (Trune, D.R. (95) 57)

Superior olivary complex
Auditory system; Cochlear nucleus; Spherical cell; Kainic acid; Lesion (Melcher, J.R. (95) 144)

Tinnitus
Salicylate; Auditory cortex; Single-unit, cross-correlation; Spontaneous activity, bursting; Cat (Ochi, K. (95) 63)

Water permeability
Cochlea; Labyrinth; Blood vessel; Capillary (Wangemann, P. (95) 49)

ELSEVIER

Hearing Research 95 (1996) 176

HEARING RESEARCH

Contents of Volume 95

Research Papers

Monaural and binaural spectral cues created by the external ears of the pallid bat
Z.M. Fuzessery *(USA)* 1

Maxi-K^+ channel in plasma membrane of basal cells dissociated from the stria vascularis of gerbils
S. Takeuchi and A. Irimajiri *(Japan)* 18

Localization of bone morphogenetic protein-4 messenger RNA in developing mouse cochlea
T. Takemura, M. Sakagami, K. Takebayashi, M. Umemoto, T. Nakase, K. Takaoka, T. Kubo, Y. Kitamura and S. Nomura *(Japan)* 26

Spatial selectivity in a rotationally symmetric model of the electrically stimulated cochlea
J.H.M. Frijns, S.L. De Snoo and J.H. Ten Kate *(The Netherlands)* 33

Osmotic water permeability of capillaries from the isolated spiral ligament: new in-vitro techniques for the study of vascular permeability and diameter
P. Wangemann and J. Liu *(USA)* 49

Decreased auditory function in the C3H/*lpr* autoimmune disease mouse
D.R. Trune, J.B. Kempton and C. Mitchell *(USA)* 57

Effects of salicylate on neural activity in cat primary auditory cortex
K. Ochi and J.J. Eggermont *(Canada)* 63

Development of activity patterns in auditory nerve fibres of pigeons
C.-P. Richter, G. Sauer, S. Hoidis and R. Klinke *(Germany)* 77

Effect of acetylcholine and GABA on the transfer function of electromotility in isolated outer hair cells
I. Sziklai, D.Z.Z. He and P. Dallos *(USA)* 87

Human otosclerotic bone-derived peptide decreases the gain of the electromotility in isolated outer hair cells
I. Sziklai *(Hungary, USA)* 100

Does age at cochlear implantation affect the distribution of 2-deoxyglucose label in cat inferior colliculus?
H.L. Seldon, A. Kawano and G.M. Clark *(Australia, Japan)* 108

Processing of modulation frequency in the dorsal cochlear nucleus of the guinea pig: sinusoidal frequency-modulated tones
H.-B. Zhao and Z.-A. Liang *(People's Republic of China)* 120

Spontaneous otoacoustic emissions in an active feed-forward model of the cochlea
T. Fukazawa and Y. Tanaka *(Japan)* 135

Cellular generators of the binaural difference potential in cat
J.R. Melcher *(USA)* 144

Effects of kainic acid on the cochlear potentials and distortion product otoacoustic emissions in chinchilla
X.-Y. Zheng, J. Wang, R.J. Salvi and D. Henderson *(USA)* 161

Calendar of Events 168

Author Index 172

Subject Index 173

Contents of Volume 95 176